

**ARSENIC SELENIUM ALLOY**

**SAFETY DATA SHEET**

DATE OF LAST REVISION: 08/02/16

**Section 1: Identification**

**Product Name:** Arsenic Selenium Alloy

**Company:** Angstrom Sciences, Inc.  
40 South Linden Street  
Duquesne, PA 15110

For more information call: 412-469-8466  
(Monday - Friday 9:00 AM -5:00 PM EST)

**Section 2: HAZARD IDENTIFICATION**

**Signal Word:** Danger



**Hazard Statements:** H301 + H331: Toxic if swallowed or inhaled  
H373: May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements:** P260: Do not breath dust/fume/gas/mist/vapors/spray  
P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P321: Specific treatment (see on this label)  
P405: Store locked up  
P501: Dispose of contents/container in accordance with local/regional/national/international regulations

**HMIS Health Ratings (0-4):**  
Health: 3  
Flammability: 1  
Physical: 1

**ARSENIC SELENIUM ALLOY**  
**SAFETY DATA SHEET**

**Section 3: Composition/Information on Ingredients**

Chemical Family: Metal Alloy  
Additional Names: N/A

Arsenic (As):  
Percentage 0-100 wt%  
CAS#: 7440-38-2  
EC#: 231-148-6

Selenium (Se):  
Percentage 0-100 wt%  
CAS#: 7782-49-2  
EC#: 231-957-4

**Section 4: FIRST AID MEASURES**

**General Treatment:** Remove any contaminated clothing.  
Supply oxygen if breathing is difficult.  
Seek medical attention if symptoms persist.

**Special Treatment:** None

**Important Symptoms:** None

**Eye Contact:** Flush eyes with water, blinking often for several minutes.

**Skin Contact:** Wash affected area with mild soap and water.

**Inhalation:** Remove to fresh air. Supply oxygen if breathing is difficult.

**Ingestion** Do not induce vomiting. Seek medical attention.

**Section 5: FIRE FIGHTING MEASURES**

**Extinguishing Media:** No special restrictions - use suitable extinguishing agent for surrounding material and type of fire. Do not use water for metal fires - use CO<sub>2</sub>, sand, extinguishing powder.

**Flammability:** Non-Flammable. except as powder

**Special Fire Fighting Procedure:** Use full-face, self contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

**Section 6: ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.

**Environmental Precautions:** Isolate runoff to prevent environmental pollution.

**Section 7: HANDLING AND STORAGE**

**Handling Precautions for safe handling:** Wash thoroughly after handling.

**ARSENIC SELENIUM ALLOY**  
**SAFETY DATA SHEET**

**Conditions for safe storage, including any incompatibilities** Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in Section 10.

**Work/Hygienic Maintenance:** Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.

**Ventilation:** Provide sufficient ventilation to maintain concentration at or below threshold limit.

**Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION**

**Permissible Exposure Limits:** 0.2\*0.01\*\* mg/m<sup>3</sup> as Se\*\* As (inorganic),, long-term value  
**Threshold Limit Value:** 0.01 mg/m<sup>3</sup> as As, long-term value  
**Special Equipment:** None  
**Respiratory Protection:** Dust respirator  
**Protective Gloves:** Rubber Gloves  
**Eye Protection:** Safety glasses or goggles  
**Body Protection:** Protective work clothing. Wear close-toed shoes and long sleeves/pants.

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:**

**Form:** Powder, Granules, Pellets, Sputtering target, Custom parts  
**Color:** Grey/Brown  
**Odor:** Odorless  
**Water Solubility:** Insoluble  
**Boiling Point:** N/A  
**Melting Point:** N/A  
**Flash Point:** N/A  
**Autoignition Temperature:** N/A  
**Density:** N/A  
**Molecular Weight:** N/A

**Section 10: STABILITY AND REACTIVITY**

**Reactivity:** N/A  
**Chemical Stability:** Stable under recommended storage conditions  
**Incompatible Conditions:** Oxidizing agents, Acids  
**Hazardous Decomposition Products:** Arsenic oxides, Selenium dioxide

**Section 11: TOXICOLOGICAL INFORMATION**

**Potential Health Effects:**

**Eyes:** May cause irritation  
**Skin:** May cause irritation  
**Ingestion:** Toxic  
**Inhalation:** Toxic  
**Chronic:** N/A  
**Signs & Symptoms:** N/A

**ARSENIC SELENIUM ALLOY**  
**SAFETY DATA SHEET**

**Aggravated Medical Conditions:** N/A  
**Median Lethal Dose:** 6700 mg/kg for rat by mouth  
**Carcinogen:** Arsenic:  
EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a casual association between exposure and cancer.  
IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity  
ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.  
Carcinogen as defined by OSHA  
NTP-K: Known to be carcinogenic: sufficient evidence from human studies

**Additional information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

**Section 12: ECOLOGICAL INFORMATION**

**Aquatic Toxicity:** Low  
**Persistence Bioaccumulation Toxicity:** No  
**Very Persistent, Very Bioaccumulative:** No  
**Notes:** N/A

**Section 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with local, state, national, and international regulations

**Section 14: TRANSPORT INFORMATION**

**Hazardous:** Hazardous for transportation



**Hazard Class:** 6.1 Toxic substances  
**Packing Group:** II

**ARSENIC SELENIUM ALLOY  
SAFETY DATA SHEET**

**UN Number:** UN1558

**Proper Shipping Name:** Arsenic compounds, solid, n.o.s. inorganic (Arsenic Selenium Silicon)

**Section 15: REGULATORY INFORMATION**

**Sec 302 Extremely Hazardous:** No

**Sec 304 Reportable Quantities:** N/A

**Sec 313 Toxic Chemicals:** Yes

**Section 16: OTHER INFORMATION**

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.