DATE OF LAST REVISION: 07/08/15

Section 1: Identification

Product Name: Bismuth Strontium Calcium Copper Oxide

CAS Number: NIL / EC Number: NIL Company: Angstrom Sciences, Inc. 40 South Linden Street Duquesne, PA 15110

For more information call: 412-469-8466

(Monday - Friday 9:00 AM -5:00 PM EST)

Section 2: HAZARD IDENTIFICATION

Signal Word: Warning



Hazard Statements: H315: Causes skin irritation.

H319: Causes serious eye irritation.H335: May cause respiratory irritation.

Precautionary Statements: P261: Avoid breathing dust/fume/vapor

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do -

continue rinsing.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in

a position comfortable for breathing.

P405: Store locked up

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health: 1
Flammability: 0
Physical: 0

Section 3: Composition/Information on Ingredients

Chemical characterization: Ceramic

Additional Names: BSCCO
CAS# Description: NIL

Percentage: 2/2/3/10 at% for example

EC number: NIL

Section 4: FIRST AID MEASURES

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None
Important Symptoms: None

Eye Contact: Flush eyes with water, blinking often for several minutes. Remove contact lenses if

present and easy to do. Continue rinsing.

Skin Contact: Wash affected area with mild soap and water. Remove any contaminated clothing. **Inhalation:**Remove to fresh air. If required, give artificial respiration. Seek medical advice.

Ingestion: Seek medical attention.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing Media: Do not use water for metal fires. Use special powder, sand, CO2

Flammability: Non-Flammable

Special Fire Fighting Procedure: Use full-face, self contained breathing apparatus with full protective clothing to prevent contact with skin and eyes.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

Section 7: HANDLING AND STORAGE

Handling Precautions for safe handling: Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in a cool dry place in a tightly sealed container.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit.

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Permissible Exposure Limits: 0.1 mg/m³ as Cu), long-term value

Threshold Limit Value: 0.2 mg/m³ as Cu, long-term value

Special Equipment: None

Respiratory Protection: Dust respirator

Protective Gloves: Rubber gloves

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long sleeves/pants.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Color: Black Odor: Odorless Insoluble Water Solubility: **Boiling Point:** N/A **Melting Point:** N/A Flash Point: N/A Autoignition Temperature: N/A Density: N/A Molecular Weight: N/A

Section 10: STABILITY AND REACTIVITY

Reactivity: Oxidizing agents

Chemical Stability: Stable under recommended storage conditions

Incompatible Conditions: None

Hazardous Decomposition Products: Metal oxide fume

Section 11: TOXICOLOGICAL INFORMATION

Potential Health Effects:

Eyes: Causes serious eye irritation

Skin: Causes skin irritation
Ingestion: May cause irritation.
Inhalation: May cause irritation

Chronic: Bismuth and bismuth compounds are often poorly absorbed. Should absorption occur, however, exposure may cause loss of appetite, headache, skin rash, exodermatitis, kidney injury and jaundice. Repeated or prolonged exposure may cause a bismuth line or black spots on the gums, foul breath and salivation. Exposure to bismuth may cause injury to the mouth, esophagus and stomach. Symptoms may include loss of appetite, headache, skin rash, kidney damage and jaundice.

Signs & Symptoms: N/A Aggravated Medical Conditions: N/A Median Lethal Dose: N/A Carcinogen: N/A

Section 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: Low

Persistent Bioaccumulation Toxicity: No

Very Persistent, Very Bioaccumulative: No

Notes: N/A

Section 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, national, and international regulations

Section 14: TRANSPORT INFORMATION

Hazardous: Not hazardous for transportation

Hazard Class: N/A
Packing Group: N/A
UN Number: N/A
Proper Shipping Name: N/A

Section 15: REGULATORY INFORMATION

Sec 302 Extremely Hazardous: No
Sec 304 Reportable Quantities: N/A
Sec 313 Toxic Chemicals: No

Section 16: OTHER INFORMATION

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.