DATE OF LAST REVISION: 076/08/15

Section 1: Identification

Product Name: Cerium Oxide

CAS Number: 1345-13-7 / EC Number: 215-718-1

Company: Angstrom Sciences, Inc.

40 South Linden Street Duquesne, PA 15110

For more information call: 412-469-8466

(Monday - Friday 9:00-5:00 EST)

Section 2: HAZARD IDENTIFICATION

Signal Word: Warning



Hazard Statements: H302: Harmful if swallowed.

Precautionary Statements: P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P305 + P351 + P338 IF IN EYES: : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P301 + P312IF SWALLOWED: Call a Poison Center or doctor/physician if

you feel unwell.

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations.

HMIS Health Ratings (0-4):

Health: 2 Flammability: 0 Physical 1

Section 3: Composition/Information on Ingredients

Chemical characterization: Ceramic

Additional Names: Cerium (III) oxide, Cerium sesquioxide

Percentage: 100 wt%

CAS# Description: 1345-13-7

EC number: 215-718-1

Section 4: FIRST AID MEASURES

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None Important Symptoms: None

Eye Contact: Flush eyes with water, blinking often for several minutes. Remove contact lenses if

present and easy to do. Continue rinsing.

Skin Contact: Wash affected area with mild soap and water. Remove any contaminated clothing. **Inhalation:** Remove to fresh air. If required, give artificial respiration. Seek medical advice.

Ingestion: Seek medical treatment.

Section 5: FIRE FIGHTING MEASURES

Flammability: Non-Flammable

Special Fire Fighting Procedure: Use full-face, self contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

Extinguishing Media: No special restrictions - use suitable extinguishing agent for surrounding material and type of fire.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.

Environmental Precautions: Isolate runoff to prevent environmental pollution.

Section 7: HANDLING AND STORAGE

Handling Precautions for safe handling: Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in Section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit.

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Permissible Exposure Limits: N/A
Threshold Limit Value: N/A
Special Equipment: None

Respiratory Protection: Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to

engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use equipment tested and approved

under appropriate government standards.

Protective Gloves: Nitrile Rubber, NBR 0.11 mm Thick

Eye Protection: Safety glasses or goggles

Body Protection: Protective work clothing. Wear close-toed shoes and long sleeves/pants.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: Powder, Granules, Pellets, Sputtering target, Custom parts

Pale Yellow Color: Odor: Odorless Water Solubility: Insoluble **Boiling Point:** N/A **Melting Point:** 3730° C Flash Point: N/A Autoignition Temperature: N/A Density: 6.2 g/cc **Bulk Density:** 1280 kg/m³ Molecular Weight: 328.24 g/mol

Section 10: STABILITY AND REACTIVITY

Reactivity: Oxidizing Agents

Chemical Stability: Stable under recommended storage conditions

Incompatible Conditions: None

Hazardous Decomposition Products: Metal oxide fume

Section 11: TOXICOLOGICAL INFORMATION

Potential Health Effects:
Eyes: May cause irritation
Skin: May cause irritation
Ingestion: May cause irritation
Inhalation: May cause irritation

Chronic: Cerium salts increase the blood coagulation rate. Exposure to cerium

salts may increase sensitivity to heat, itching and skin lesions. Large doses to experimental animals have caused writhing, ataxia, labored respiration, sedation, hypotension and death by cardiovascular collapse. Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic Fluoride poisoning can cause severe bone

changes, loss of weight, anorexia, anemia and dental defects.

Signs & Symptoms: N/A
Aggravated Medical Conditions: N/A

Median Lethal Dose: 1,000 mg/kg for rat by mouth

Carcinogen: N/A

Section 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: Low

Persistence Bioaccumulation Toxicity: No Very Persistent, Very Bioaccumulative: No

Notes: N/A

Section 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, national, and international regulations

Section 14: TRANSPORT INFORMATION

Hazardous: Not hazardous for transportation.

Hazard Class: N/A
Packing Group: N/A
UN Number: N/A
Proper Shipping Name: N/A

Section 15: REGULATORY INFORMATION

Sec 302 Extremely Hazardous: No

Sec 304 Reportable Quantities: N/A

Sec 313 Toxic Chemicals: No

Section 16: OTHER INFORMATION

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.