LANTHANUM OXIDE

SAFETY DATA SHEET

DATE OF LAST REVISION: 07/10/15

Section 1: Identification

Product Name: Lanthanum Oxide Company: Angstrom Sciences, Inc. 40 South Linden Street Duquesne, PA 15110 For more information call: 412-469-8466 (Monday - Friday 9:00-5:00 EST)

	J	

Section 2: HAZARD IDE	NTIFICATION
Signal Word:	Warning

Hazard Statements:	H315: Causes skin irritation H319: Causes serious eye irritation H335: May cause respiratory irritation.
Precautionary Statements:	 P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P280: Wear protective gloves/protective clothing/eye protection/face protection P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P405: Store locked up. P501: Dispose of contents/container in accordance with local/regional/national/international regulations.
HMIS Health Ratings (0-4): Health:	1

1
Ο
Ο

LANTHANUM OXIDE SAFETY DATA SHEET

Section 3: Composition/Information on Ingredients

Chemical characterization: Ceramic Additional Names: Lanthanum(III) oxide Percentage: 100 wt% CAS# Description: 1312-81-8 EC number: 215-200-5

Section 4: FIRST AID MEASURES

General Treatment: Seek medical attention if symptoms persist.

Special Treatment: None

Important Symptoms: None

Eye Contact: Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Skin Contact: Wash affected area with mild soap and water. Remove any contaminated clothing. Inhalation: Remove to fresh air. If required, give artificial respiration. Seek medical advice. Ingestion: Seek medical attention.

Section 5: FIRE FIGHTING MEASURES

Flammability: Non-Flammable

Special Fire Fighting Procedure: Use full-face, self contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

Extinguishing Media: No special restrictions - Use suitable extinguishing agent for surrounding material and type of fire.

Section 6: ACCIDENTAL RELEASE MEASURES

If material is Released/Spilled: Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. **Environmental Precautions:** Isolate runoff to prevent environmental pollution.

Section 7: HANDLING AND STORAGE

Handling Precautions for safe handling: Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in Section 10.

Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.

Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit.

LANTHANUM OXIDE SAFETY DATA SHEET

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Permissible Exposure Limits:	N/A	
Threshold Limit Value:	N/A	
Special Equipment:	None	
Respiratory Protection:	Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.	
Protective Gloves:	Nitrile rubber, NBR 0.11 mm thick	
Eye Protection:	Safety glasses or goggles	
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.	

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Color:	White
Odor:	Odorless
Water Solubility:	0.004 g/l
Boiling Point:	4200° C
Melting Point:	2307°C
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	6.51 g/cc
Molecular Weight:	325.81 g/mol

Section 10: STABILITY AND REACTIVITY

Reactivity:Mineral AChemical Stability:Stable unIncompatible Conditions:Water/nHazardous Decomposition Products:Metal Oxi

Mineral Acids, Oxidizing agents Stable under recommended storage conditions Water/moisture Metal Oxide Fume

Section 11: TOXICOLOGICAL INFORMATION

Potential Health Effects:

Eyes: May cause irritation

Skin: May cause irritation

LANTHANUM OXIDE SAFETY DATA SHEET

Ingestion: May cause irritation

Inhalation: May cause irritation

Chronic: N/A

Signs & Symptoms:N/AAggravated Medical Conditions:N/AMedian Lethal Dose:>8500 mg/kg for rat by mouthCarcinogen:N/A

Section 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: Low

Persistence Bioaccumulation Toxicity: No

Very Persistent, Very Bioaccumulative: No

Notes: N/A

Section 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, national, and international regulations

Section 14: TRANSPORT INFORMATION

Hazardous:Not hazardous fortransportationHazard Class:N/APacking Group:N/AUN Number:N/AProper Shipping Name:N/A

Section 15: REGULATORY INFORMATION			
Sec 302 Extremely Hazardous:	No		
Sec 304 Reportable Quantities:	N/A		
Sec 313 Toxic Chemicals:	No		

Section 16: OTHER INFORMATION

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.